


## Standardabmessungen der CLT-Brettsperrholzpaneele

### SP Paneel / Wandpaneele


Dicke der Platte in mm	Schichten	Position der Lamellen				
		Q	L	Q	L	Q
60	3	20	20	20		
80	3	30	20	30		
90	3	30	30	30		
100	3	30	40	30		
120	3	40	40	40		
100	5	20	20	20	20	20
120	5	30	20	20	20	30
140	5	40	20	20	20	40
160	5	40	20	40	20	40
180	5	40	30	40	30	40
200	5	40	40	40	40	40



L – Lamellen in Längsrichtung, Q – Lamellen in Querrichtung

### ZW:DP Zwischen- und Dachdeckenpaneele

Dicke der Platte in mm	Schichten	Position der Lamellen						
		L	Q	L	Q	L	Q	L
60	3	20	20	20				
80	3	30	20	30				
90	3	30	30	30				
100	3	30	40	30				
120	3	40	40	40				
100	5	20	20	20	20	20		
120	5	30	20	20	20	30		
140	5	40	20	20	20	40		
160	5	40	20	40	20	40		
180	5	40	30	40	30	40		
200	5	40	40	40	40	40		
220	7	30	30	30	40	30	30	30
240	7	30	40	30	40	30	40	30
260	7	40	40	30	40	30	40	40
280	7	40	40	40	40	40	40	40



L – Lamellen in Längsrichtung, Q – Lamellen in Querrichtung